ELSEVIER

Molecular Brain Research 90 (2001) 205–206

MOLECULAR BRAIN RESEARCH

www.elsevier.com/locate/bres

Author index

Aihara, N., see Yamamoto, N. (90) 26
Allen, J.M., see Bournat, J.C. (90) 149
Artur, Y., see Heydel, J.-M. (90) 83
Asai, K., see Yamamoto, N. (90) 26

Bahl, R., Bradley, K.C., Thompson, K.J., Swain, R.A., Rossie, S. and Meisel, R.L. Localization of protein Ser/Thr phosphatase 5 in rat brain (90) 101
Barks, J.D.E., see Xu, H. (90) 57
Baulieu, E.E., see Guennoun, R. (90) 75
Benmessahel, Y., see Guennoun, R. (90) 75
Bernard, P., see Heydel, J.-M. (90) 83
Bingham, S., see Macdonald, R. (90) 48
Bond, B.C., see Macdonald, R. (90) 48
Bournat, J.C. and Allen, J.M. Regulation of the Y1 neuropeptide Y receptor gene expression in PC12 cells (90) 149
Bradley, K.C., see Bahl, R. (90) 101
Brenz Verca, M.S., see Michna, L. (90) 68
Broberger, C., see Sergeyev, V. (90) 93

Chao, S., see Sidiropoulou, K. (90) 187
Chen, S., see Michna, L. (90) 68

Delespierre, B., see Guennoun, R. (90) 75
Dib-Hajj, S.D., see Ghassemi, F. (90) 118
Dreyer, J.-L., see Michna, L. (90) 68

Fashingbauer, L.A., see Kohen, R. (90) 110
Finegold, A.A., Perez, F.M. and Iadarola, M.J. In vivo control of NMDA receptor transcript level in motoneurons by viral transduction of a short antisense gene (90) 17
Fischmeister, R., see Medhurst, A.D. (90) 125
Fry, M., Paterno, G. and Moody-Corbett, F. Cloning and expression of three K^+ channel cDNAs from *Xenopus* muscle (90) 135
Fujita, M., see Yamamoto, N. (90) 26
Fujita, Y., see Yamamoto, N. (90) 26

Geller, A.I., see Yang, T. (90) 1
Ghassemi, F., Dib-Hajj, S.D. and Waxman, S.G. β1 adducin gene expression in DRG is developmentally regulated and is upregulated by glial-derived neurotrophic factor and nerve growth factor (90) 118
Gotoh, T., see Kawahara, K. (90) 165
Goudonnet, H., see Heydel, J.-M. (90) 83
Gouézou, M., see Guennoun, R. (90) 75
Gradinaru, D., see Heydel, J.-M. (90) 83
Guennoun, R., Benmessahel, Y., Delespierre, B., Gouézou, M., Rajkowski, K.M., Baulieu, E.E. and Schumacher, M. Progesterone stimulates Krox-20 gene expression in Schwann cells (90) 75
Guthrie, C.R., see Kohen, R. (90) 110

Hamblin, M.W., see Kohen, R. (90) 110
Heidmann, D.E.A., see Kohen, R. (90) 110
Heydel, J.-M., Leclerc, S., Bernard, P., Pelczar, H., Gradinaru, D., Magdalou, J., Minn, A., Artur, Y. and Goudonnet, H. Rat olfactory bulb and epithelium UDP-glucuronosyltransferase 2A1 (UGT2A1) expression: in situ mRNA localization and quantitative analysis (90) 83
Hökfelt, T., see Sergeyev, V. (90) 93

Iadarola, M.J., see Finegold, A.A. (90) 17
Imai, Y., see Kawahara, K. (90) 165
Itoh, M., see Miyata, S. (90) 39

Jayanthi, S., see Thiriet, N. (90) 202

Kajizono, M., see Kawahara, K. (90) 165
Kato, T., see Yamamoto, N. (90) 26
Katsuya, H., see Yamamoto, N. (90) 26
Kawahara, K., Gotoh, T., Oyadomari, S., Kajizono, M., Kuniyasu, A., Ohsawa, K., Imai, Y., Kohsaka, S., Nakayama, H. and Mori, M. Co-induction of argininosuccinate synthetase, cationic amino acid transporter-2, and nitric oxide synthase in activated murine microglial cells (90) 165
Kiyohara, T., see Miyata, S. (90) 39
Kohen, R., Fashingbauer, L.A., Heidmann, D.E.A., Guthrie, C.R. and Hamblin, M.W. Cloning of the mouse 5-HT_6 serotonin receptor and mutagenesis studies of the third cytoplasmic loop (90) 110
Kohsaka, S., see Kawahara, K. (90) 165
Kojima, T., Murai, K., Naruse, Y., Takahashi, N. and Mori, N. Cell-type non-selective transcription of mouse and human genes encoding neural-restrictive silencer factor (90) 174
Kuniyasu, A., see Kawahara, K. (90) 165
Kuramoto, H., see Miyata, S. (90) 39

Ladenheim, B., see Thiriet, N. (90) 202
Leclerc, S., see Heydel, J.-M. (90) 83
Lee, J., see Michna, L. (90) 68
Lezoualc'h, F., see Medhurst, A.D. (90) 125
Lu, W., see Sidiropoulou, K. (90) 187
Lud Cadet, J., see Thiriet, N. (90) 202

Macdonald, R., Bingham, S., Bond, B.C., Parsons, A.A. and Philpott, K.L. Determination of changes in mRNA expression in a rat model of neuropathic pain by Taqman™ quantitative RT-PCR (90) 48
Magdalou, J., see Heydel, J.-M. (90) 83
Malter, J.S., see Westmark, C.J. (90) 193
Mase, M., see Yamamoto, N. (90) 26
Matsunaga, W., see Miyata, S. (90) 39
McCoy, M., see Thiriet, N. (90) 202
Medhurst, A.D., Lezoualc'h, F., Fischmeister, R., Middlemiss, D.N. and Sanger, G.J. Quantitative mRNA analysis of five C-terminal splice variants of the human 5-HT_4 receptor in the central nervous system by TaqMan real time RT-PCR (90) 125
Meisel, R.L., see Bahl, R. (90) 101
Michna, L., Brenz Verca, M.S., Widmer, D.A.J., Chen, S., Lee, J., Rogove, J., Zhou, R., Tsitsikov, E., Miescher, G.C., Dreyer, J.-L. and Wagner, G.C. Altered sensitivity of CD81-deficient mice to neurobehavioral effects of cocaine (90) 68
Middlemiss, D.N., see Medhurst, A.D. (90) 125
Miescher, G.C., see Michna, L. (90) 68
Minn, A., see Heydel, J.-M. (90) 83
Miura, Y., see Yamamoto, N. (90) 26
Miyata, S., Tsujioka, H., Itoh, M., Matsunaga, W., Kuramoto, H. and Kiyohara, T. Time course of Fos and Fras expression in the hypothalamic supraoptic neurons during chronic osmotic stimulation (90) 39
Moody-Corbett, F., see Fry, M. (90) 135

0169-328X/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0169-328X(01)00145-0

Mori, M., see Kawahara, K. (90) 165
Mori, N., see Kojima, T. (90) 174
Murai, K., see Kojima, T. (90) 174

Nakayama, H., see Kawahara, K. (90) 165
Naruse, Y., see Kojima, T. (90) 174

Ohsawa, K., see Kawahara, K. (90) 165
Oyadomari, S., see Kawahara, K. (90) 165

Parsons, A.A., see Macdonald, R. (90) 48
Paterno, G., see Fry, M. (90) 135
Pelczar, H., see Heydel, J.-M. (90) 83
Perez, F.M., see Finegold, A.A. (90) 17
Philpott, K.L., see Macdonald, R. (90) 48

Rajkowski, K.M., see Guennoun, R. (90) 75
Rogove, J., see Michna, L. (90) 68
Rossie, S., see Bahl, R. (90) 101

Sanger, G.J., see Medhurst, A.D. (90) 125
Schielke, G.P., see Xu, H. (90) 57
Schumacher, M., see Guennoun, R. (90) 75
Sergeyev, V., Broberger, C. and Hökfelt, T.
Effect of LPS administration on the expression of POMC, NPY, galanin, CART and MCH mRNAs in the rat hypothalamus (90) 93
Sidiropoulou, K., Chao, S., Lu, W. and Wolf, M.E.
Amphetamine administration does not alter protein levels of the GLT-1 and EAAC1 glutamate transporter subtypes in rat midbrain, nucleus accumbens, striatum, or prefrontal cortex (90) 187
Silverstein, F.S., see Xu, H. (90) 57
Sobue, K., see Yamamoto, N. (90) 26
Sun, M., see Yang, T. (90) 1
Swain, R.A., see Bahl, R. (90) 101

Tada, T., see Yamamoto, N. (90) 26
Takahashi, N., see Kojima, T. (90) 174
Thiriet, N., Jayanthi, S., McCoy, M., Ladenheim, B. and Lud Cadet, J.
Methamphetamine increases expression of the apoptotic c-myc and L-myc genes in the mouse brain (90) 202
Thompson, K.J., see Bahl, R. (90) 101
Tsitsikov, E., see Michna, L. (90) 68
Tsujioka, H., see Miyata, S. (90) 39

Wagner, G.C., see Michna, L. (90) 68
Wang, X., see Yang, T. (90) 1
Waxman, S.G., see Ghassemi, F. (90) 118
Westmark, C.J. and Malter, J.S.
Extracellular-regulated kinase controls β-amyloid precursor protein mRNA decay (90) 193
Widmer, D.A.J., see Michna, L. (90) 68
Wolf, M.E., see Sidiropoulou, K. (90) 187

Xu, H., Barks, J.D.E., Schielke, G.P. and Silverstein, F.S.
Attenuation of hypoxia–ischemia-induced monocyte chemoattractant protein-1 expression in brain of neonatal mice deficient in interleukin-1 converting enzyme (90) 57

Yamada, K., see Yamamoto, N. (90) 26
Yamamoto, N., Yoneda, K., Asai, K., Sobue, K., Tada, T., Fujita, Y., Katsuya, H., Fujita, M., Aihara, N., Mase, M., Yamada, K., Miura, Y. and Kato, T.
Alterations in the expression of the AQP family in cultured rat astrocytes during hypoxia and reoxygenation (90) 26
Yang, T., Zhang, G.-r., Zhang, W., Sun, M., Wang, X. and Geller, A.I.
Enhanced reporter gene expression in the rat brain from helper virus-free HSV-1 vectors packaged in the presence of specific mutated HSV-1 proteins that affect the virion (90) 1
Yoneda, K., see Yamamoto, N. (90) 26

Zhang, G.-r., see Yang, T. (90) 1
Zhang, W., see Yang, T. (90) 1
Zhou, R., see Michna, L. (90) 68